

## DRAFT reference list for CSP Project 4438: Review of mitigation techniques for gill net fisheries and applicability to New Zealand fisheries

Simon Childerhouse

Blue Planet Marine

11<sup>th</sup> March 2013

- 1 Abraham ER and Thompson FN (2011). Summary of the capture of seabirds, marine mammals and turtles in New Zealand commercial fisheries, 1998-99 to 2008-09. New Zealand Aquatic Environment and Biodiversity Report No. 80. Published by the Ministry of Fisheries, Wellington New Zealand.
- 2 Alfaro Shigueto J (2010). Experimental trial of acoustic alarms to reduce bycatch in gillnets in Peru. Final Report to Rufford Small Grants Foundation. February 2010.
- 3 Anonymous (2008). Electronic Monitoring Workshop Proceedings. Unpublished Report to NMFS, USA. 95 p.
- 4 Bell E (2012). Identification of sea birds captured in New Zealand Fisheries. Unpublished Report INT2010/02 Identification of sea birds captured in New Zealand Fisheries to CSP, DOC, NZ. 27 p.
- 5 Berggren P, Carlstrom J and Tregenza NJC (2009). Spatial and temporal impact of pingers on porpoises. Canadian Journal of Fisheries and Aquatic Sciences 66(1): 72.
- 6 Berrow S, Cosgrove R, Leeney RH, O'Brien J, McGrath D, Dalgard J and Gall YL (2008). Effect of acoustic deterrents on the behaviour of common dolphins (*Delphinus delphis*). Journal of Cetacean Research and Management 10: 227-233.
- 7 Brotons JM, Grau AM and Rendell L (2008a). Estimating the impact of interactions between bottlenose dolphins and artisanal fisheries around the Balearic Islands. Marine Mammal Science 24: 112-127.
- 8 Brotons JM, Munilla Z, Grau AM and Rendell L (2008b). Do pingers reduce interactions between bottlenose dolphins and nets around the Balearic Islands? Endangered Species Research. Volume 5: 301-308.
- 9 Bull LS (2007). A review of methodologies for mitigating incidental catch of seabirds in New Zealand Fisheries. DOC Research & Development Series 263. Department of Conservation, Wellington. 57p.
- 10 Bull (2007). Reducing seabird bycatch in longline, trawl and gillnet fisheries. Fish and Fisheries 8: 31-56.
- 11 Buscaino G, Buffa G, Sarà G, Bellante A, Tonello AJ, Hardt FAS, Cremer MJ, Bonanno A, Cuttitta A and Mazzola S (2009). Pinger affects fish catch efficiency and damage to bottom gill nets related to bottlenose dolphins. Fisheries Science. Volume 75:537-544.
- 12 Bryd BL, Hohn AA and Godfrey MH (2011). Emerging fisheries, emerging fishery interactions with sea turtles: a case study of the large-mesh gillnet fishery for flounder in Pamlico Sounds, North Carolina, USA. Marine Policy 35: 271-285.

- 13 Campbell LM and Cornwell ML (2008). Human dimensions of bycatch reduction technology: current assumptions and directions for future research. *Endangered Species Research* 5: 325-334.
- 14 Cardoso LG, Bugoni L, Mancini PL and Haimovici (2011). Gillnet fisheries and a major factor of Magellanic penguins in wintering areas. *Marine Pollution Bulletin* 62: 840-844.
- 15 Carretta JV and Barlow J (2011). Long term effectiveness, failure rates, and “dinner bell” properties of acoustic pingers in a gillnet fishery. *Marine Technology Society Journal* 45(5): 7-19.
- 16 Carretta JV, Barlow J and Enriquez L (2008). Acoustic pingers eliminate beaked whale bycatch in a gill net fishery. *Marine Mammal Science* 24(4): 956-961.
- 17 Carretta JV and Enriquez L (2012). Marine mammal and seabird bycatch in California gillnet fisheries in 2010. NOAA Administrative Report LJ-12-01.
- 18 Consortium for Wildlife Bycatch Reduction (2011). Presentation Abstracts (10/15/11) for Workshop on Techniques for reducing marine mammal gillnet bycatch. Unpublished report available at <http://bycatch.org/sites/default/files/Abstracts.pdf>. 14 p.
- 19 Cox TM, Lewison RL, Zydels R, Crowder LB, Safina C and Read AJ (2007). comparing effectiveness of experimental and implemented bycatch reduction measures: the ideal and the real. *Conservation Biology* 21(5): 1155-1164.
- 20 Dawson SM, Northridge S, Waples D and Read AJ (2013). To ping or not to ping: the use of active acoustic devices in mitigating interactions between small cetaceans and gillnet fisheries. *Endangered Species Research* 19: 201-221.
- 21 DOC (2012). Conservation Services Programme Annual Plan 2012/13. Unpublished Report by CSP, DOC, NZ. 66 p.
- 22 DOC and MFish (2007). Draft Hector's and Maui's dolphin threat management plan. Unpublished Report by DOC and MFish. 298 p.
- 23 DOC and MFish (2007). Hector's dolphin threat management discussion document. Unpublished Report by DOC and MFish. 154 p.
- 24 DOC and MPI (2012). Review of Maui's dolphin Threat Management Plan. Unpublished Report by DOC and MPI. 219 p.
- 25 Evans R and Molony B (2011). Pilot evaluation of the efficacy of electronic monitoring on a demersal gillnet vessel as an alternative to human observers. Fisheries Research Report No. 221. Department of Fisheries, Western Australia.
- 26 Fox DA, Wark K, Armstrong JL and Brown M (2011). Gillnet configurations and their impact on Atlantic sturgeon and marine mammal bycatch in the New Jersey Monkfish fishery: Year 1. Final Report submitted in partial fulfilment of NOAA NMFS Contract Number EA 133F-10-RQ-1160. December 2011.
- 27 Francis MP and Lyon WS (2012). Review of commercial fishery interactions and population information for eight New Zealand protected fish species. Final Report prepared for the Department of Conservation Contract No. 345. National Institute of Water and Atmospheric Research Ltd. December 2012.
- 28 Gazo M, Gonzalvo J and Aguilar A (2008). Pingers as deterrents of bottlenose dolphins

- interacting with trammel nets. Fisheries Research 92: 70-75.
- 29 Gilman E (Ed.) (2009). Proceedings of the Technical Workshop on Mitigating Sea Turtle Bycatch in Coastal Net Fisheries. 20-22 January 2009, Honolulu, U.S.A. Western Pacific Regional Fishery Management Council, IUCN, Southeast Asian Fisheries Development Center, Indian Ocean .– South-East Asian Marine Turtle MoU, U.S. National Marine Fisheries Service, Southeast Fisheries Science Center: Honolulu; Gland, Switzerland.
  - 30 Bangkok; and Pascagoula, USA. Gillman E, Gearhart J, Price B, Eckert S, Milliken H, Wang J, Swimmer Y, Shiode D, Abe O, Peckham SH, Chaloupka M, Hall M, Mangel J, Alfaro-Shigueto, Dalzell P and Ishizaki A (2010). Mitigating sea turtle bycatch in coastal passive net fisheries. Fish and Fisheries 10: 57-88.
  - 31 Goldsworthy SD, Page B, Shaughnessy PD and Linnane A (2010). Mitigating seal interactions in the SRLF and the gillnet sector SESSF in South Australia. Final Report to the Fisheries Research and Development Corporation. SARDI Publication No. F2009/000613-1, SARDI Research Report Series No. 405. March 2010.
  - 32 Gönener S and Bilgin S (2009). The effect of pingers on harbour porpoise *Phocoena phocoena* bycatch and fishing effort in the turbot gill net fishery in the Turkish Black Sea coast. Turkish Journal of Fisheries and Aquatic Sciences 9: 151-157.
  - 33 Hamer DJ, Ward TM and MacGarvey R (2008). Measurement, management and mitigation of operational interactions between South Australia sardine fishery and short-beaked common dolphins (*Delphinus delphis*). Biological Conservation 141: 2865-2878.
  - 34 Hamer DJ, Ward TM, Shaughnessy PD and Clark SR (2011). Assessing the effectiveness of the Great Australia Bight Marine Park in protecting the endangered Australian sea lion *Neophoca cinera* bycatch mortality in shark gillnets. Endangered Species research 14: 203-211.
  - 35 Hamer D, Childerhouse S, Gales N (2012). Odontocete by-catch and depredation in longline fisheries: a review of available literature and of potential solutions. Marine Mammal Science 28(4): 345-374.
  - 36 Hardy Y and Tregenza N (2010). Can acoustic deterrent devices reduce bycatch in the Cornish inshore gillnet fishery? Unpublished Report to the Marine and fisheries Agency, UK. 26 p.
  - 37 Hardy T, Williams R, Caslake R and Tregenza N (2012). An investigation of acoustic deterrent devices to reduce cetacean bycatch in an inshore set net fishery. Journal of Cetacean Research and Management 12 (1): 85-90.
  - 38 ICES (2011). Report of the Working Group on bycatch of protected species (WGBYC 2011), 1-4 February 2011, Copenhagen, Denmark. Unpublished Report to ICES document number ICES CM 2011/ACOM:26. 75 p.
  - 39 Kindt-Larsen L, Kirkegaard E and Dalskov J (2011). Fully documented fishery: a tool to support a catch quota management system. ICES Journal of Marine Science 68(8): 1606-1610.
  - 40 Larsen F, Eigaar OP and Tougaard J (2007). Reduction of harbour porpoise (*Phocoena phocoena*) bycatch in iron-oxide gillnets. Fisheries Research 85: 270-278.
  - 41 Lokkeborg S (2011). Best practices to mitigate seabird bycatch in longline, trawl and gillnet fisheries – efficiency and practical applicability. Marine Ecology Progress Series

- 435: 285-303.
- 42 Lopez BD and Marine F (2011). A trial of acoustic harassment device efficacy for free-ranging bottlenose dolphins in Sardinia, Italy. *Marine and Freshwater Behaviour and Physiology* 44(4): 197-208.
- 43 MacKay AI (2011). An investigation of factors relating to the bycatch of small cetaceans in fishing gear. Unpublished PhD Thesis at University of St Andrews. Available at <http://research-repository.st-andrews.ac.uk/>. 329 p.
- 44 McClellan CM, Read AJ, Price BA, Cluse WM and Godfrey MH (2009). Using telemetry to mitigate the bycatch of long lived marine vertebrates. *Ecological Applications* 19: 1660-1671.
- 45 McPherson G (2011). Acoustic methods to mitigate bycatch and depredation by marine mammals on commercial fishing operations in Australia waters: Fisherman's options. In: *Proceedings of ACOUSTICS 2011, 2-4 November 2011, Gold Coast, Australia*. 8 p.
- 46 Minister for Primary Industries (2013a). MPI website outlining current and past mitigation measures for marine species in New Zealand commercial set net fishery. [www.fish.govt.nz/en-nz/Environmental/Hectors+Dolphins/default.htm](http://www.fish.govt.nz/en-nz/Environmental/Hectors+Dolphins/default.htm) Accessed 5th January 2013.
- 47 Minister for Primary Industries (2013b). MPI website containing links to all documents relating to Hector's dolphin and Maui dolphin threat management plan and subsequent reviews. [www.fish.govt.nz/en-nz/Consultations/default.htm](http://www.fish.govt.nz/en-nz/Consultations/default.htm). Accessed 5th January 2013.
- 48 Mooney TA, Au WWL, Nachtigall PE and Trippel EA (2007). Acoustic and stiffness properties of gillnets as they relate to small cetacean bycatch. *ICES Journal of Marine Science* 64: 1324-1332.
- 49 Morzaria-Luna HN, Ainsworth CH, Kaplan IC, Levin PS and Fulton EA (2012). Exploring trade-offs between fisheries and conservation of the vaquita porpoise (*Phocoena sinus*) using an Atlantis ecosystem model. *PloS ONE* 7(8).
- 50 Nielsen TP, Wahlberg M, Heikkilä S, Jensen M, Sabinsky P and Dabelsteen T (2012). Swimming patterns of wild harbour porpoises (*Phocoena phocoena*) show detection and avoidance of gillnets at very long ranges. *Marine Ecology Progress Series* 453: 241-248.
- 51 NOAA (2013a). NOAA website detailing the Harbour Porpoise Take Reduction Plan for north-eastern United States. [www.nero.noaa.gov/protected/porptrp](http://www.nero.noaa.gov/protected/porptrp). Accessed 15th January 2013.
- 52 NOAA (2013b). NOAA website detailing the Pacific Offshore Cetaceans Take Reduction Plan. [www.nmfs.noaa.gov/pr/interactions/trt/poctrp.htm](http://www.nmfs.noaa.gov/pr/interactions/trt/poctrp.htm). Accessed 15th January 2013.
- 53 Northridge S, Kingston A, Mackay A and Lonergan M (2011). Bycatch of vulnerable species: Understanding the process and mitigating the impacts. Final report to DEFRA Marine and Fisheries Science Unit, Project no. MF1003. University of St Andrews. DEFRA, London.
- 54 Orphanides CD (2009). Protected species bycatch estimating approaches: Estimating harbour porpoise bycatch in US Northwestern Atlantic gillnet fisheries. *Journal*

- Northwest Atlantic Fishery Science 42: 55-76.
- 55 Palka DL, Rossman MC, VanAtten AS and Orphanides CD (2008). Effect of pingers on harbour porpoise (*Phocoena phocoena*) bycatch in the US Northeast gillnet fishery. *Journal of Cetacean Research and Management* 10(3): 217-226.
  - 56 Price B and Van Salisbury C (2007). Low-profile gillnet testing in the deep water region of Pamlico Sound, NC. Completion report for Fishery Resource Grant 06-FEG-02. ESA Scientific Research Permit # 1563. March 2007.
  - 57 Project GloBAL (2009). Workshop Proceedings: Tackling fisheries bycatch: Managing and reducing turtle bycatch in gillnets. Project GloBAL Technical Memorandum No. 1. 54 p.
  - 58 Putz K, Hiriart-Bertrand L and Simeone A (2011). Entanglement of a Magellanic Penguin in a gill net recorded by a time-depth recorded in South Central Chile. *Waterbirds* 34(1): 121-125.
  - 59 Ramm K (2010). Conservation Services Programme observer report. 01 July 2008 to 30 June 2009. Final Draft. Published by Marine Conservation Services, Department of Conservation, Wellington, New Zealand.
  - 60 Ramm K (2011). Conservation Services Programme observer report. 01 July 2009 to 30 June 2010. Draft. Published by Marine Conservation Services, Department of Conservation, Wellington, New Zealand.
  - 61 Ramm K (2012). Conservation Services Programme observer report. 01 July 2009 to 30 June 2010. Final report. Published by Marine Conservation Services, Department of Conservation, Wellington, New Zealand. 130 p.
  - 62 Rayment W, Clement D, Dawson S, Slooten E and Secchi E (2011). Distribution of Hector's dolphins off the west coast, South Island, New Zealand, with implications for management of bycatch. *Marine Mammal Science* 27(2): 398-420.
  - 63 Read AJ (2008). The looming crisis: Interactions between marine mammals and fisheries. *Journal Of Mammalogy* 89(3): 541-548.
  - 64 Read AJ, Drinker P and Northridge S (2006). Bycatch of marine mammals in US and global fisheries. *Conservation Biology* 20 (1): 163-169.
  - 65 Rowe SJ (2007). A review of methodologies for mitigating incidental catch of protected marine mammals. DOC Research and Development Series 283. Science and Technical Publishing, Department of Conservation, Wellington New Zealand.
  - 66 Rowe SJ (2009). Conservation Services Programme observer report 01 July 2004 to 30 June 2007. DOC Marine Conservation Services Series 1. 94 p.
  - 67 Rowe SJ (2009). Conservation Services Programme observer report. 01 July 2004 to 30 June 2007. DOC Marine Conservation Series 1. Published by Department of Conservation, Wellington New Zealand.
  - 68 Rowe SJ (2010). Conservation Services Programme observer report. 01 July 2007 to 30 June 2008. DOC Marine Conservation Series 4. Published by Department of Conservation, Wellington New Zealand.
  - 69 Rowe SJ (2010). Level 1 risk assessment for incidental seabird mortality associated with New Zealand Fisheries in the NZ-EEZ. Unpublished Report to DOC, NZ. 75 p.
  - 70 Schnaittacher G (2010). The effects of hanging ratio on marine mammal interactions

and catch retention of commercially important finfish species. Final Report submitted to the NOAA/NMFS/NEFSC Protected Species. EA133F-08-CN-0240. December 2010.

- 71 Shester GG and Micheli F (2011). Conservation challenges for small-scale fisheries: Bycatch and habitat impacts of traps and gillnets. *Biological Conservation* 144: 1673-1681.
- 72 Sonntag N, Schwemmer H, Ove-Fock H, Belle J and Garthe S (2012). Seabirds, set-nets and conservation management: assessment of conflict potential and vulnerability of birds to bycatch in gillnets. *ICES Journal of Marine Science* 69(4): 578-589.
- 73 Slooten E and Dawson SM (2010). Assessing the effectiveness of conservation management decisions: likely effects of new protection measures for Hector's dolphins. *Aquatic conservation: Marine and Freshwater Ecosystems* 20: 334-347.
- 74 Southwood A, Fritches K, Brill R and Swimmer Y (2008). Sound, chemical, and light detection in sea turtles and pelagic fishes: sensory based approaches to bycatch reduction in longline fisheries. *Endangered Species Research* 5: 225-238.
- 75 Thorpe T and Frierson D (2009). Bycatch mitigation assessment for sharks caught in coastal anchored gillnets. *Fisheries Research* 98: 102-112.
- 76 Wang JH, Fisler S and Swimmer Y (2010). Developing visual deterrents to reduce sea turtle bycatch in gill net fisheries. *Marine Ecology Progress Series* 408: 241-250.
- 77 Waples DM, Thorne LH, Hodge LEW, Burke EK, Urian KW and Read AJ (2013). A field test of acoustic deterrent devices used to reduce interactions between bottlenose dolphins and a coastal gillnet fishery. *Biological Conservation* 157: 163-171.
- 78 Waugh SM, Filippi DP, Blyth R and Filippi PF (2011). Report to the Convention on Migratory Species assessment of bycatch in gillnet fisheries. 30 September 2011.