

PLANTING LISTS FOR  
NORTH MARLBOROUGHINNER  
SOUNDS

## BOTANICAL NAME

## COMMON NAME

## TREES 5-20m+

<i>Alectryon excelsus</i>	titoki
<i>Aristotelia serrata</i>	wineberry
<i>Beilschmiedia tawa</i>	tawa
<i>Carpodetus serratus</i>	putaputaweta, marbleleaf
<i>Coprosma linariifolia</i>	mikimiki, yellow wood
<i>Cordyline australis</i>	ti kouka, cabbage tree
<i>Cordyline indivisa</i>	toi, mountain cabbage tree
<i>Corynocarpus laevigatus</i>	karaka
<i>Cyathea cunninghamii</i>	gully tree fern
<i>Cyathea dealbata</i>	ponga, silver fern
<i>Cyathea medullaris</i>	mamaku
<i>Cyathea smithii</i>	soft tree fern
<i>Dacrycarpus dacrydioides</i>	kahikatea, white pine
<i>Dacrydium cupressinum</i>	rimu
<i>Dicksonia squarrosa</i>	wheki
<i>Dodonaea viscosa</i>	akeake
<i>Elaeocarpus dentatus</i>	hinau
<i>Elaeocarpus hookerianus</i>	pokaka
<i>Fuchsia excorticata</i>	kotukutuku, tree fuchsia
<i>Griselinia littoralis</i>	papauma, broadleaf
<i>Griselinia lucida</i>	puka
<i>Hedycarya arborea</i>	pigeonwood
<i>Knightia excelsa</i>	rewarewa, NZ honeysuckle
<i>Kunzea ericoides</i>	kanuka

## EARLY STAGE PLANTING

## LATER STAGE PLANTING

## MOISTURE PREFERENCE

## SUNLIGHT PREFERENCE

## FROST TENDERNESS

## BIRD FOOD

## RIPARIAN SUITABILITY

## COASTAL SUITABILITY

## WETLAND SUITABILITY

	✓	✓	●●	○●	❄❄	Fr	Yes	Yes	No
		✓	●●	○●	❄	Fr	Yes	No	No
	✓	✓	●●	○●	❄	Fr	Yes	No	No
	✓	✓	●●	○●		Fr	Yes	No	No
	✓	✓	●●	○●		Fr	Yes	No	No
	✓	✓	●●	○●		Fr	Yes	Yes	Yes
	✓	✓	●●	○●	❄❄	Fr	Yes	No	No
	✓	✓	●●	○●	❄	Fr	Yes	Yes	No
	✓	✓	●●	○●	❄	Fr	Yes	Yes	No
	✓	✓	●●	○●	❄	Fr	Yes	Yes	Yes
	✓	✓	●●	○●	❄	Fr	Yes	No	No
	✓	✓	●●	○●	❄	Fr	Yes	Yes	Yes
	✓	✓	●●	○●	❄❄	Fr	Yes	Yes	No
	✓	✓	●●	○●	❄	Fr,L	Yes	Yes	No
	✓	✓	●●	○●	❄	N	Yes	Yes	No
	✓	✓	●●	○		N	Yes	Yes	No

<i>Laurelia novae-zelandiae</i>	pukatea		✓	▲▲-▲▲	○-●			Yes	Yes	Yes
<i>Leptospermum scoparium</i>	manuka	✓✓	✓✓	▲▲▲▲	○		N	Yes	Yes	Yes
<i>Lophomyrtus obcordata</i>	rohutu	✓	✓	▲▲	○-●		Fr	Yes	No	Yes
<i>Macropiper excelsum</i>	kawakawa		✓✓	▲▲	○-●	❄️❄️	Fr	Yes	Yes	No
<i>Melicope ternata</i>	wharangi	✓	✓	▲▲	○-●	❄️❄️		No	Yes	No
<i>Melicytus ramiflorus</i>	mahoe	✓	✓✓	▲▲	○-●	❄️	Fr	Yes	Yes	No
<i>Metrosideros umbellata</i>	southern rata	✓	✓✓	▲▲	○-●	❄️❄️	N	Yes	Yes	No
<i>Myoporum laetum</i>	ngaio	✓✓	✓✓	▲-▲▲	○-●	❄️❄️	Fl	Yes	Yes	No
<i>Myrsine australis</i>	mapou	✓	✓✓	▲-▲▲	○-●		Fr	Yes	Yes	No
<i>Myrsine salicina</i>	toro		✓	▲▲	●-●		Fr	Yes	No	No
<i>Nothofagus fusca</i>	red beech	✓	✓✓	▲▲	○-●		H	Yes	No	No
<i>Nothofagus menziesii</i>	silver beech	✓	✓✓	▲▲	○-●			Yes	No	No
<i>Nothofagus solandri var. solandri</i>	black beech	✓	✓✓	▲▲	○-●		H	Yes	Yes	No
<i>Nothofagus truncata</i>	hard beech	✓	✓✓	▲-▲▲	○-●		H	Yes	Yes	No
<i>Olearia paniculata</i>	akiraho	✓✓	✓✓	▲-▲▲	○-●			Yes	Yes	No
<i>Olearia rani</i>	heketara		✓✓	▲▲	○-●			Yes	No	No
<i>Pennantia corymbosa</i>	kaikomako	✓✓	✓✓	▲▲	○-●		Fr	Yes	Yes	No
<i>Phyllocladus trichomanoides</i>	tanekaha	✓	✓	▲▲	○-●	❄️		Yes	Yes	No
<i>Pittosporum eugenioides</i>	tarata, lemonwood	✓✓	✓✓	▲▲	○-●		Fr	Yes	Yes	No
<i>Pittosporum tenuifolium</i>	kohuhu	✓✓	✓	▲-▲▲	○-●		Fr	Yes	Yes	No
<i>Podocarpus hallii</i>	mountain or thin-bark totara	✓✓	✓✓	▲-▲▲	○-●		Fr	Yes	No	No
<i>Podocarpus totara</i>	lowland totara	✓✓	✓✓	▲-▲▲	○-●		Fr	Yes	Yes	No
<i>Prumnopitys ferruginea</i>	miro		✓	▲▲	○-●		Fr	Yes	No	No
<i>Prumnopitys taxifolia</i>	matai		✓	▲▲	○-●		Fr	Yes	Yes	No
<i>Pseudopanax arboreus</i>	five-finger	✓✓	✓✓	▲▲	○-●	❄️	N,Fr	Yes	Yes	Yes
<i>Pseudopanax crassifolius</i>	lancewood	✓✓	✓✓	▲-▲▲	○-●		Fr	Yes	Yes	Yes
<i>Raukawa edgerleyi</i>	rauakawa		✓	▲▲	○-●	❄️	Fr	Yes	No	No
<i>Rhopalostylis sapida</i>	nikau	✓	✓✓	▲▲-▲▲▲	○-●	❄️❄️	Fl,Fr	Yes	Yes	Yes
<i>Sophora microphylla</i>	kowhai	✓✓	✓✓	▲-▲▲	○		N,L	Yes	Yes	Yes
<i>Strelbit heterophyllus</i>	turepo, small-leaved milk tree		✓	▲▲	○-●			Yes	No	No
<i>Syzygium maire</i>	swamp maire	✓	✓	▲-▲▲▲	○-●	❄️	N,Fr	No	No	Yes
<i>Weinmannia racemosa</i>	kamahi	✓	✓✓	▲-▲▲	○-●		N	Yes	Yes	No
<b>SMALL TREES 2-5m</b>										
<i>Ascarina lucida</i>	hutu	✓	✓	▲▲	○-●	❄️❄️		Yes	No	No
<i>Brachyglottis repanda</i>	rangiora	✓	✓	▲▲	●-●	❄️		Yes	Yes	No

PLANTING LISTS FOR  
NORTH MARLBOROUGHINNER  
SOUNDS

## BOTANICAL NAME

## SMALL TREES 2-5m CONT.

*Coprosma areolata*  
*Coprosma crassifolia*  
*Coprosma grandiflora*  
*Coprosma lucida*  
*Coprosma propinqua*  
*Coprosma repens*  
*Coprosma robusta*  
*Cordyline banksii*  
*Dicksonia fibrosa*  
*Dracophyllum filifolium*  
*Dracophyllum urvilleanum*  
*Hebe stricta*  
*Leucopogon fasciculatus*  
*Lophomyrtus bullata*  
*Melicope simplex*  
*Olearia aviceniifolia*  
*Pseudowintera axillaris*  
*Pseudowintera colorata*

## SHRUBS 1-2m

*Alseuosmia pusilla*  
*Carmichaelia arborea*  
*Coprosma rhamnoides*  
*Gaultheria antipoda*

## COMMON NAME

raurekau, kanono  
 shining karamu  
 mingimingi  
 taupata  
 karamu  
 ti ngahere, forest cabbage tree  
 wheki-ponga  
 inaka  
 neinei  
 koromiko  
 soft mingimingi  
 ramarama  
 poataniwha  
 grey tree daisy  
 lowland horopito  
 horopito, pepperwood

horopito look-alike  
 South Island broom  
 scrub coprosma  
 snowberry

## EARLY STAGE PLANTING

## LATER STAGE PLANTING

## MOISTURE PREFERENCE

## SUNLIGHT PREFERENCE

## FROST TENDERNESS

## BIRD FOOD

## RIPARIAN SUITABILITY

## COASTAL SUITABILITY

## WETLAND SUITABILITY

✓	✓	●●	○●			Fr	Yes	No	Yes
✓	✓	●-●	○●●	*		Fr	Yes	Yes	Yes
✓	✓	●	○●●	*		Fr	Yes	No	No
✓	✓	●●	○●●	*		Fr	Yes	Yes	No
✓	✓	●-●	○●●	**		Fr	No	Yes	Yes
✓	✓	●-●	○●●	*		Fr	Yes	Yes	No
✓	✓	●●	○●●	*		Fr,Fr	Yes	No	Yes
✓	✓	●	○●●				Yes	Yes	Yes
✓	✓	●-●	○●●				Yes	Yes	No
✓	✓	●●	○●●				Yes	No	No
✓	✓	●●	○●●			Fr	Yes	No	Yes
✓	✓	●●	○●●	*		Fr	Yes	No	Yes
✓	✓	●●	○●●	*			Yes	No	Yes
✓	✓	●●	○●●	*		Fr	Yes	No	No
✓	✓	●●	○●	*		Fr	Yes	No	No
✓	✓	●●	○●●				Yes	Yes	No
✓	✓	●●	○●●			Fr	Yes	Yes	Yes
✓	✓	●-●	○●			Fr	Yes	No	No

<i>Hebe stenophylla</i>	koromiko	✓	✓	●	○			Yes	Yes	No
<i>Helichrysum lanceolatum</i>	niniaio	✓	✓	●-●	○●			Yes	No	No
<i>Leptocophylla juniperina</i>	prickly mingimingi	✓	✓	●-●	○-○●		Fr	Yes	Yes	No
<i>Ozothamnus leptophyllus</i>	tauhinu	✓✓		●-●	○			Yes	Yes	No
<i>Plagianthus divaricatus</i>	saltmarsh ribbonwood	✓✓	✓	●-●-●	○-○●			No	Yes	Yes
<i>Pomaderris phyllicifolia</i>		✓	✓	●-●	○-○●			Yes	No	No
<i>Raukaua anomalus</i>		✓	✓	●	○-●			Yes	No	No
<b>GROUND COVERS</b>										
<i>Apodasmia similis</i>	oiioi, jointed rush	✓✓	✓	●-●-●	○-○●			No	Yes	Yes
<i>Arthropodium cirratum</i>	rengarenga, renga lily	✓✓	✓	●-●	○-○●	❄️❄️		No	Yes	No
<i>Asplenium oblongifolium</i>	shining spleenwort	✓	✓	●	○-●			Yes	Yes	No
<i>Astelia fragrans</i>	bush lily		✓✓	●-●-●	○-○●		Fr	Yes	No	Yes
<i>Blechnum novae-zelandiae</i>	kiokio	✓✓	✓	●-●-●	○-○●			Yes	Yes	Yes
<i>Carex secta</i>	purei, tussock sedge	✓✓	✓	●	○-○●			Yes	No	Yes
<i>Carex virgata</i>	pukio	✓✓	✓	●	○-○●			Yes	No	Yes
<i>Chionochloa cheesemanii</i>	bush tussock		✓	●	○			Yes	No	No
<i>Cortaderia richardii</i>	South Island toetoe	✓✓	✓	●-●-●	○			Yes	Yes	Yes
<i>Dianella nigra</i>	turutu, blueberry	✓	✓	●-●	○-○●		Fr	Yes	Yes	No
<i>Libertia ixioides</i>	native iris	✓	✓	●	○-○●			Yes	Yes	No
<i>Microsorium pustulatum</i>	hound's tongue fern		✓	●	○			Yes	Yes	No
<i>Phormium cookianum</i>	wharariki, mountain flax	✓✓		●-●	○		N	Yes	Yes	No
<i>Phormium tenax</i>	harakeke, lowland flax	✓✓		●-●-●	○		N	Yes	Yes	Yes
<i>Poa aff. cita</i>	coastal silver tussock	✓✓		●-●	○			No	Yes	No
<b>CLIMBERS</b>										
<i>Clematis forsteri</i>	clematis		✓	●	○-○●			Yes	Yes	No
<i>Clematis paniculata</i>	puawananga, bush clematis		✓	●	○-○●	❄️		Yes	No	No
<i>Freycinettia banksii</i>	kiekie		✓	●	○-○●	❄️	Fl,Fr	Yes	Yes	Yes
<i>Fuchsia perscandens</i>	climbing fuchsia		✓	●	○-○●	❄️	N,Fr	Yes	No	Yes
<i>Metrosideros diffusa</i>	white rata vine		✓	●	○-○●		N	Yes	No	No
<i>Metrosideros fulgens</i>	winter rata, scarlet rata vine		✓	●	○-○●		N	Yes	Yes	No
<i>Metrosideros perforata</i>	lowland rata vine		✓	●	○-○●		N	Yes	Yes	No
<i>Muehlenbeckia complexa</i>	pohuehue, wiggly-wig	✓✓		●-●	○		Fr	Yes	Yes	No
<i>Parsonia heterophylla</i>	NZ jasmine		✓	●-●	○			Yes	Yes	No
<i>Passiflora tetrandra</i>	NZ passionfruit		✓	●-●	○-○●	❄️❄️	Fr	Yes	Yes	No
<i>Ripogonum scandens</i>	supplejack		✓	●-●-●	○-●	❄️	Fr	Yes	Yes	Yes