

BLENHEIM SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Bird Food	Showy Flowers or Fruit	Nationally Rare
TALL TREES 20metres +													
<i>Dacrycarpus dacrydioides</i>	Kahikatea		★	★					★		Fr		
<i>Dacrydium cupressinum</i>	Rimu			★		★			★		Fr		
<i>Elaeocarpus dentatus</i>	Hinau			★		★			★		Fr		
<i>Laurelia novae-zelandiae</i>	Pukatea		★						★				
<i>Metrosideros umbellata</i>	Southern rata			★					★		N	Fl	
<i>Nothofagus fusca</i> @	Red beech			★					★		Fr,H		
<i>Nothofagus menziesii</i>	Silver beech			★					★		Fr		
<i>Nothofagus solandri var solandri</i>	Black beech			★	★				★		Fr,H		
<i>Nothofagus truncata</i>	Hard beech			★	★				★		Fr,H		
<i>Podocarpus hallii</i>	Halls/mountain totara			★					★		Fr		
<i>Podocarpus totara</i> @	Totara	★		★	★				★		Fr		
<i>Prumnopitys ferruginea</i>	Miro			★		★			★		Fr		
<i>Prumnopitys taxifolia</i> @	Matai			★					★		Fr		
SMALL TREES 5-15 metres													
<i>Alectryon excelsus</i>	Titoki			★					★		Fr	Fr	
<i>Aristotelia serrata</i>	Wineberry	★		★					★		Fr	Fl	
<i>Carpodetus serratus</i>	Putaputaweta , marbleleaf	★		★					★		Fr	Fl	
<i>Cordyline australis</i>	Cabbage tree	★	★	★	★				★	★	Fl, Fr	Fl	
<i>Cyathea dealbata</i>	Silver fern			★		★			★				
<i>Cyathea medullaris</i>	Mamaku			★		★			★				
<i>Cyathea smithii</i>	Soft tree fern			★		★			★				
<i>Dicksonia squarrosa</i>	Wheki			★					★				
<i>Elaeocarpus hookerianus</i>	Pokaka			★		★			★		Fr		
<i>Griselinia littoralis</i>	Broadleaf	★		★					★	★	Fr		

BLENHEIM SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Bird Food	Showy Flowers or Fruit	Nationally Rare
<i>Hedycarya arborea</i>	<i>Pigeonwood</i>			★		★			★		Fr		
<i>Kunzea ericoides</i>	Kanuka	★		★	★			★	★	★	N	Fl	
<i>Leptospermum scoparium</i>	Manuka	★	★	★	★			★	★		N	Fl	
<i>Hoheria angustifolia</i>	<i>Narrow-leaved lacebark</i>	★		★	★				★		Fl, Lv	Fl	
<i>Hoheria populnea var sixtylosa</i>	<i>Lacebark</i>	★		★					★		Fl, Lv	Fl	
<i>Melicytus ramiflorus</i>	Mahoe	★		★					★		Fr		
<i>Myrsine australis</i>	Mapou , red matipo	★		★					★		Fr		
<i>Olearia paniculata</i>	Akiraho	★		★	★			★	★	★		Fl	
<i>Pennantia corymbosa</i>	Kaikomako	★		★				★	★		Fr	Fl	
<i>Plagianthus regius</i>	<i>Lowland Ribbonwood</i>			★			★		★				
<i>Pittosporum eugenioides</i>	Lemonwood	★		★					★			Fl	
<i>Pittosporum tenuifolium ssp tenuifo</i>	Kohuhu	★		★	★			★	★	★			
<i>Pseudopanax anomalous</i>	Five finger	★		★					★				
<i>Pseudopanax crassifolius</i>	<i>Lancewood</i>	★		★	★			★	★		Fr		
<i>Sophora microphylla</i>	Kowhai	★		★	★		★	★	★		N, Lv	Fl	
<i>Streblus heterophyllus</i>	<i>Turepo, small-leaved milk tree</i>			★		★			★		Fr		
<i>Syzygium maire</i>	<i>Swamp Maire</i>		★						★		Fr		
SHRUBS 2-5 metres													
<i>Brachyglottis repanda</i>	Rangiora			★		★			★				
<i>Carmichaelia australis</i>	Common broom	★		★	★		★	★		★			
<i>Carmichaelia carmichaeliae</i>	<i>Pink broom</i>			★	★		★	★		★		Fl	1
<i>Coprosma areolata</i>				★		★			★		Fr		
<i>Coprosma crassifolia</i>		★		★	★			★		★	Fr		
<i>Coprosma foetidissima</i>	<i>Stinkwood</i>			★		★			★		Fr		

BLENHEIM SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Bird Food	Showy Flowers or Fruit	Nationally Rare
<i>Coprosma grandifolia</i>	<i>Kanono, large leaved coprosma</i>			★					★		Fr		
<i>Coprosma linariifolia</i>				★		★			★		Fr		
<i>Coprosma lucida</i>	Shining karamu	★		★					★		Fr		
<i>Coprosma obconica</i>				★				★	★		Fr		4
<i>Coprosma propinqua</i>	Mingimingi	★	★	★	★			★	★	★	Fr		
<i>Coprosma rigida</i>				★	★			★			Fr		
<i>Coprosma robusta</i>	Karamu	★		★	★			★	★		Fr		
<i>Coprosma rotundifolia</i>				★		★			★		Fr		
<i>Coprosma rubra</i>				★		★		★	★		Fr		8
<i>Coprosma "taylorae"</i>				★		★		★	★		Fr		
<i>Coriaria arborea</i>	<i>Tutu</i>	★	★	★	★		★	★	★		Fr		
<i>Cyathodes juniperina</i>				★	★			★	★		Fr		
<i>Discaria toumatou</i>	Matagouri , wild Irishman	★		★	★		★	★		★	Fl, Fr		
<i>Dodonaea viscosa</i>	<i>Akeake</i>	★		★	★		★	★	★	★			
<i>Fuchsia excorticata</i>	<i>Fuchsia</i>		★	★		★			★		Fl, Fr	Fl	
<i>Hebe gracillima</i>	<i>Hebe</i>			★		★			★			Fl	
<i>Hebe parviflora</i>	Tree hebe			★	★		★	★	★			FL	
<i>Hebe salicifolia</i>	<i>Koromiko</i>	★		★			★	★	★			Fl	
<i>Hebe stenophylla</i>	Koromiko			★			★		★			Fl	
<i>Hebe stricta var atkinsonii</i>	Hebe	★		★			★	★	★			Fl	
<i>Helichrysum lanceolatum</i>	<i>Ninia</i>			★	★	★		★	★			Fl	
<i>Leucopogon fasciculatus</i>	Mingimingi			★					★		Fr		
<i>Lophomyrtus obcordata</i>	<i>Rohutu</i>			★		★			★		Fr		
<i>Macropiper excelsum</i>	<i>Kawakawa</i>			★		★			★		Fr		
<i>Melicope simplex</i>	<i>Poataniwha</i>			★		★			★				

BLENHEIM SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Bird Food	Showy Flowers or Fruit	Nationally Rare
<i>Myoporum laetum</i>	Ngaio	★		★	★		★	★	★		Fr	Fl	
<i>Myrsine divaricata</i>	Weeping matipo			★					★	★	Fr		
<i>Neomyrtus pedunculata</i>	Rohutu			★		★			★		Fr		
<i>Muehlenbeckia astonii</i>				★	★		★	★			Fr		2
<i>Pseudopanax arboreus</i>	Five finger	★		★		★			★		Fl, Fr		
<i>Pseudopanax ferox</i>	Fierce lancewood			★	★		★	★			Fr		7
<i>Solanum aviculare</i> var <i>aviculare</i>	Poroporo	★		★			★		★		Fr	Fl	4
<i>Solanum laciniatum</i>	Poroporo	★		★			★		★		Fr	Fl	
<i>Urtica ferox</i>	Tree nettle			★					★				
LOW SHRUBS etc													
<i>Astelia fragrans</i>	Perching lily			★		★			★		Fr	Fl, Fr	
<i>Coprosma rhamnoides</i>				★		★			★		Fr		
<i>Blechnum novae-zelandiae</i>				★					★				
<i>Brachyglottis monroi</i>				★	★		★	★		★		Fl	
<i>Coprosma acerosa</i> var " <i>brunnea</i> "				★	★		★	★		★	Fr		
<i>Coriaria sarmentosa</i>	Tutu			★			★	★			Fr		
<i>Corokia cotoneaster</i>	Korokio			★	★		★	★		★	Fr	Fl	
<i>Cortaderia richardii</i>	Toetoe			★			★	★	★			Fl	
<i>Hebe glaucophylla</i>	Hebe											Fl	
<i>Hebe traversii</i>	Hebe			★			★	★				Fl	
<i>Heliohebe hulkeana</i> ssp <i>hulkeana</i>	New Zealand lilac			★	★		★	★		★		Fl	
Melicytus "waipapa bay"	Porcupine shrub			★	★		★	★		★	Fr		
<i>Muehlenbeckia complexa</i>	Pohuehue			★	★		★	★		★	Fl, Fr		
<i>Olearia arborescens</i>				★		★			★			Fl	
<i>Olearia avicenniifolia</i>				★	★		★	★		★		Fl	

BLENHEIM SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Bird Food	Showy Flowers or Fruit	Nationally Rare
<i>Olearia rani</i>	<i>Heketara</i>			★					★			Fl	
<i>Olearia solandri</i>	Coastal shrub daisy	★		★	★		★	★				Fl	
<i>Ozothamnus leptophyllus</i>	Tauhinu	★		★	★		★	★				Fl	
<i>Phormium cookianum</i>	Wharaiki			★	★			★		★	N	Fl, Fr	
<i>Phormium tenax</i>	Harakeke, flax		★	★			★	★			N	Fl, Fr	
<i>Sophora prostrata</i>	Prostrate Kowhai			★	★		★	★		★	N	Fl	
GROUND COVER													
<i>Carex comans</i>				★				★					
<i>Carex dipsacea</i>				★					★				
<i>Carex dissita</i>			★	★					★				
<i>Carex flagellifera</i>			★	★				★	★				
<i>Carex forsteri</i>				★		★			★				
<i>Carex solandri</i>			★	★		★			★				
<i>Carex testacea</i>				★					★				
<i>Dianella nigra</i>	<i>Blueberry</i>			★					★			Fl,Fr	
<i>Fuchsia perscandens</i>	<i>Climbing fuschia</i>		★	★		★		★	★				
<i>Libertia ixioides</i>				★					★	★		Fl	
<i>Microlaena polynoda</i>	<i>Bamboo Rice Grass</i>			★	★			★	★				
<i>Poa cita</i>	Silver Tussock			★	★			★		★			
<i>Uncinia ferruginea</i>	<i>Hookgrass</i>			★		★			★				
<i>Uncinia laxiflora</i>	Hookgrass			★	★	★			★				
<i>Uncinia leptostachya</i>	<i>Hookgrass</i>			★	★	★			★				
<i>Uncinia scabra</i>	Hookgrass			★		★			★				
<i>Uncinia uncinata</i>	Hookgrass		★	★		★		★	★				

BLENHEIM SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Bird Food	Showy Flowers or Fruit	Nationally Rare
VINES													
<i>Clematis afoliata</i>	Leafless clematis			★	★		★	★		★		Fl	
<i>Clematis foetida</i>	<i>Clematis</i>			★		★		★	★			Fl	
<i>Clematis forsteri</i>	<i>Clematis</i>			★		★		★	★			Fl	
<i>Clematis paniculata</i>	<i>Puawhananga, bush clematis</i>			★		★		★	★			Fl	
<i>Clematis quadribracteolata</i>				★	★			★					
<i>Parsonsia capsularis</i>	Native jasmine			★	★	★		★	★			Fl	
<i>Parsonsia heterophylla</i>	Native jasmine			★		★		★	★			Fl	
<i>Passiflora tetrandra</i>	<i>Passionvine</i>			★		★			★			Fr	
<i>Rubus cissoides</i>	<i>Bush Lawyer</i>			★					★		Fr	Fl	
<i>Rubus schmidelioides</i>	Bush Lawyer			★	★			★	★		Fr	Fl	
<i>Rubus squarrosus</i>	<i>Leafless Lawyer</i>			★	★		★	★	★		Fr	Fl	

@ Recorded as preserved logs only

*Italics = species likely to have
been naturally present*

Bold = present

Plants people are most likely to
recognise and obtain for revegetation
(which are most likely to succeed in a
drought prone sector)

Fr Fruit
Fl Flowers
H Honeydew
N Nectar
Lv Leaves & shoots

National Threat Classification deLange et al 2009

1 Nationally critical
2 Nationally endangered
3 Nationally vulnerable
4 Declining

5 Recovering
6 Relict
7 Naturally Uncommon
8 Data deficient