

HILLERSDEN ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
TALL TREES 20m+																
<i>Dacrycarpus dacrydioides</i>	<i>Kahikatea</i>		★	★					★		★		Fr			R
<i>Nothofagus fusca</i>	Red beech			★		★			★			★	Fr,H			L
<i>Nothofagus solandri</i> var <i>solandri</i>	Black beech			★					★				Fr,H			L
<i>Podocarpus hallii</i>	Halls/mountain totara			★					★			★	Fr			L
<i>Podocarpus totara</i>	Totara			★	★				★				Fr			R
<i>Prumnopitys taxifolia</i>	Matai			★		★			★				Fr			R
SMALL TREES 5-15 metres																
<i>Aristotelia serrata</i>	Wineberry	★		★					★		★		Fr	Fl		L
<i>Carpodetus serratus</i>	Putaputaweta , marbleleaf	★		★					★				Fr	Fl		
<i>Cordyline australis</i>	Cabbage tree	★	★	★	★		★	★	★				Fl, Fr	Fl		
<i>Cyathea dealbata</i>	Silver fern			★		★			★		★					R
<i>Cyathea medullaris</i>	Mamaku			★		★			★		★					R
<i>Cyathea smithii</i>	Soft tree fern			★		★			★		★	★				R
<i>Dicksonia fibrosa</i>	Wheki-ponga			★		★			★		★					R
<i>Dicksonia squarrosa</i>	Wheki			★		★			★		★					R
<i>Elaeocarpus hookerianus</i>	Pokaka			★		★		★	★			★	Fr			R

HILLERSDEN ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
Griselinia littoralis	Broadleaf	★		★					★	★			Fr			
Hoheria angustifolia	Narrow-leaved lacebark	★		★					★				Fl, Lv	Fl		R
Kunzea ericoides	Kanuka	★		★	★		★	★	★	★			N	Fl		
Leptospermum scoparium	Manuka	★	★	★	★		★	★	★				N	Fl		
Lophomyrtus obcordata	Rohutu			★		★			★		★		Fr			R
Melicytus ramiflorus	Mahoe	★		★					★				Fr			
Myoporum laetum	Ngaio			★	★		★		★		★		Fr			R
Myrsine australis	Mapou , red matipo	★		★	★				★				Fr			
Olearia paniculata	Akiraho	★		★	★			★	★	★				Fl		
Pennantia corymbosa	Kaikomako	★		★					★				Fr	Fl		R
Pittosporum eugenioides	Lemonwood	★		★					★		★			Fl		R
Pittosporum tenuifolium ssp tenuifolium	Kohuhu	★		★	★			★	★							
<i>Plagianthus regius</i>	<i>Manatu , ribbonwood</i>			★					★		★					
Pseudopanax arboreus	Five finger			★				★	★				Fr			
Pseudopanax crassifolius	Lancewood	★		★	★			★	★				Fr			
Sophora microphylla	Kowhai	★		★	★			★	★				N,Lv	Fl		
SHRUBS 2-5 metres																
<i>Brachyglottis repanda</i>	<i>Rangiora</i>			★		★			★		★					

HILLERSDEN ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
<i>Carmichaelia australis</i>	Common broom	★		★	★			★		★						
<i>Coprosma crassifolia</i>		★		★	★			★		★			Fr			
<i>Coprosma linariifolia</i>				★		★		★	★				Fr			
<i>Coprosma lucida</i>		★		★		★			★				Fr			L
<i>Coprosma microcarpa</i>				★		★			★				Fr			L
<i>Coprosma obconica</i>				★				★			★		Fr		4	
<i>Coprosma propinqua</i>		★	★	★	★			★	★	★			Fr			
<i>Coprosma rigida</i>				★	★			★		★			Fr			
<i>Coprosma robusta</i>	Karamu	★		★	★			★	★				Fr			
<i>Coprosma rotundifolia</i>				★		★			★		★		Fr			
<i>Coprosma "taylorae"</i>				★		★		★	★	★			Fr			
<i>Coriaria arborea</i>	Tutu	★	★	★	★		★	★	★				Fr			
<i>Cyathodes juniperina</i>				★	★			★	★				Fr			
<i>Discaria toumatou</i>	Matagouri , wild Irishman	★		★	★			★		★			N, Fr			
<i>Hebe gracillima</i>				★					★					F1		
<i>Hebe salicifolia</i>	Koromiko	★		★			★	★	★					F1		
<i>Hebe stenophylla</i>				★			★	★	★	★				F1		
<i>Helichrysum lanceolatum</i>	Niniao			★	★	★		★	★	★				F1		
<i>Leucopogon fasciculatus</i>	Mingimingi			★	★				★				Fr			
<i>Melicope simplex</i>	poataniwha			★		★			★		★		Fr			R

HILLERSDEN ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
Melicytus lanceolatus	Narrow-leaved mahoe			★		★			★		★		Fr			R
<i>Muehlenbeckia astonii</i>				★	★		★	★					Fr		2	
Myrsine divaricata	Weeping matipo			★	★			★	★			★	Fr			
Olearia arborescens				★		★			★		★					R
Olearia avicenniifolia				★	★		★	★		★				Fl		
Pittosporum divaricatum				★	★	★			★			★				
Pseudopanax ferox	Fierce lancewood			★	★			★	★	★			Fr		7	R
<i>Schefflera digitata</i>	<i>Pate</i>			★		★			★		★		Fr			R
Urtica ferox	Tree Nettle			★					★							R
SMALL SHRUBS etc																
Aristotelia fruticosa				★	★			★		★		★	Fr			R
Astelia fragrans	Perching lily			★		★			★		★			Fr		
<i>Brachyglottis monroi</i>				★	★		★	★		★		★		Fl		
Coprosma acerosa var "brunnea"				★	★		★	★		★			Fr			
Coprosma rhamnoides				★	★			★	★	★			Fr			
Coriaria sarmentosa	Tutu		★	★				★					Fr			
Corokia cotoneaster	Korohio			★	★			★	★	★			Fr	Fl,Fr		
Cortaderia richardii	Toetoe		★	★			★	★						Fl		
Gaultheria antipoda	Snowberry			★			★	★		★		★	Fr			
Hebe venustula				★	★		★	★		★		★		Fl		

HILLERSDEN ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
Melicytus "waipapa"	Porcupine shrub			★	★		★	★		★			Fr			
Muehlenbeckia complexa	Pohuehue			★	★			★		★			Fl, Fr			
Ozothamnus vauvilliersii	Tauhinu	★		★	★		★	★		★				Fl		
Phormium cookianum	Wharariki	★		★	★		★	★		★			N	Fl, Fr		
Phormium tenax	Harakeke	★	★	★			★	★					N	Fl, Fr		
Raukahu anomalous				★		★			★		★		Fr			R
Sophora prostrata	Prostrate kowhai			★	★		★	★		★			N	Fl		
Teucrium parvifolium				★		★		★	★		★				4	R
GROUND PLANTS																
Carex dipsacea			★	★				★	★							
Carex dissita			★	★		★			★		★					R
Carex flagellifera			★					★	★							L
Carex forsteri				★					★							
Carex solandri			★	★				★	★		★					R
Carex testacea				★				★	★							
Dianella nigra	Blueberry			★		★			★		★			Fl		L
Fuchsia perscandens	Climbing fuchsia			★					★		★		Fr			R
Libertia ixioides	Native iris			★					★					Fl		
Microlaena polynoda	Bamboo grass			★	★			★	★							R
Poa cita	Silver tussock			★	★		★	★		★						
Uncinia leptostachya	Hookgrass			★	★				★							
Uncinia uncinata	Hookgrass								★							

HILLERSDEN ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
VINES																
Brachyglottis sciadophila				★					★		★			Fl		R
Clematis afoliata	Leafless clematis			★	★			★		★				Fl		L
Clematis foetida	Clematis			★		★			★					Fl		
Clematis forsteri	Clematis			★		★		★	★					Fl		
Clematis marata	Clematis			★	★		★	★		★				Fl		R
Clematis paniculata	Puawhananga, bush clematis			★		★			★		★			Fl		R
Clematis quadribacteolata	Clematis			★	★			★								R
Parsonsia capsularis	Native jasmine			★	★	★		★	★					Fl		
Parsonsia heterophylla	Native jasmine			★	★	★		★	★					Fl		
Passiflora tetrandra	Native passionfruit			★		★			★							R
Rubus cissoides	Bush lawyer			★					★				Fr	Fl		
Rubus schmidelioides	Bush lawyer			★	★			★	★				Fr	Fl		
Rubus squarrosus	Leafless lawyer			★	★			★	★				Fr	Fl		R

Fr Fruit
 Fl Flowers
 H Honeydew
 N Nectar
 Lv Leaves & Shoots

National Threat Classification deLange et al 2009
 1 Nationally critical
 2 Nationally endangered
 3 Nationally vulnerable
 4 Declining

Italics = Not recorded but likely to have been present
Bold = Present
 Plants people are most likely to recognise and obtain for revegetation (which are most likely to succeed in a drought prone sector)

HILLERSDEN ECOLOGICAL DISTRICT SHRUBLAND/FOREST	Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
--	------------------------------------	-----	-------	-----	-----------------------------	------------------	-----------	--------	------------------	----------------------------	-----------------	-----------	------------------------	---	-------------------------------------

- 5 Recovering
- 6 Relict
- 7 Naturally Uncommon
- 8 Data deficient