

WAIHOPAI ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
TALL TREES 20m+																
<i>Dacrycarpus dacrydioides</i>	Kahikatea		★	★					★		★		Fr			R
<i>Nothofagus fusca</i>	Red beech			★		★			★			★	Fr,H			
<i>Nothofagus solandri</i> var <i>solandri</i>	Black beech			★		★			★				Fr,H			
<i>Podocarpus hallii</i>	Mountain totara			★					★			★	Fr			L
<i>Podocarpus totara</i>	<i>Totara</i>			★					★		★		Fr			
<i>Prumnopitys taxifolia</i>	Matai			★		★			★		★		Fr			R
SMALL TREES 5-15 metres																
<i>Aristotelia serrata</i>	Wineberry	★		★					★		★		Fr	Fl		R
<i>Carmichaelia stevensonii</i>	Weeping tree broom		★	★			★	★	★					Fl	2	
<i>Carpodetus serratus</i>	Putaputaweta , marbleleaf	★		★					★				F	Fl		
<i>Cordyline australis</i>	Cabbage tree	★	★	★	★		★	★	★				Fl, Fr	Fl		
<i>Cyathea dealbata</i>	Silver fern			★		★			★		★					R
<i>Cyathea medullaris</i>	Mamaku			★		★			★		★					R
<i>Dicksonia squarrosa</i>	<i>Wheki</i>			★		★			★		★					R
<i>Elaeocarpus hookerianus</i>	Pokaka			★		★		★	★			★	Fr			R
<i>Griselinia littoralis</i>	Broadleaf	★		★					★	★			Fr			
<i>Hebe parviflora</i>	Tree hebe			★	★			★	★				Fl			
<i>Hoheria angustifolia</i>	Narrow-leaved lacebark	★		★				★	★				Fl, Lv			R

WAIHOPAI ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
<i>Kunzea ericoides</i>	Kanuka	★		★	★		★	★	★	★			N	Fl		
<i>Leptospermum scoparium</i>	Manuka	★	★	★	★		★	★	★				N	Fl		
<i>Lophomyrtus obcordata</i>	Rohutu			★		★			★		★		Fr			R
<i>Melicytus ramiflorus</i>	Mahoe	★		★					★				Fr			
<i>Myrsine australis</i>	Mapou , red matipo	★		★	★				★				Fr			
<i>Olearia paniculata</i>	Akiraho	★		★	★			★	★	★				Fl		
<i>Pennantia corymbosa</i>	Kaikomako	★		★					★				Fr	Fl		R
<i>Pittosporum eugenioides</i>	Lemonwood	★		★					★		★			Fl		R
<i>Pittosporum tenuifolium</i> ssp <i>tenuifolium</i>	Kohuhu	★		★	★			★	★							
<i>Plagianthus regius</i>	Lowland ribbonwood	★		★					★		★					
<i>Pseudopanax arboreus</i>	Five finger			★		★		★	★				Fr			
<i>Pseudopanax crassifolius</i>	Lancewood	★		★	★			★	★				Fr			
<i>Sophora microphylla</i>	Kowhai	★		★	★			★	★				N, Lv	Fl		
SHRUBS 2-5 metres																
<i>Brachyglottis repanda</i>	Rangiora			★		★			★		★					R
<i>Carmichaelia australis</i>	Common broom	★		★	★			★		★						
<i>Carmichaelia carmichaeliae</i>	Pink broom			★	★		★	★		★				Fl	1	R
<i>Coprosma crassifolia</i>		★		★	★			★		★			Fr			
<i>Coprosma linariifolia</i>				★		★		★	★				Fr			
<i>Coprosma lucida</i>		★		★		★			★				Fr			L
<i>Coprosma microcarpa</i>				★		★			★				Fr			

WAIHOPAI ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
<i>Coprosma obconica</i>				★				★			★		Fr		4	R
<i>Coprosma propinqua</i>		★	★	★	★			★	★	★			Fr			
<i>Coprosma rigida</i>				★	★			★		★			Fr			
<i>Coprosma robusta</i>	Karamu	★		★	★			★	★				Fr			
<i>Coprosma rotundifolia</i>				★		★			★		★		Fr			R
<i>Coprosma "taylorae"</i>				★		★		★	★	★			Fr			
<i>Coriaria arborea</i>	Tutu	★	★	★	★		★	★	★				Fr			
<i>Cyathodes juniperina</i>				★	★			★	★				Fr			
<i>Discaria toumatou</i>	Matagouri , wild Irishman	★		★	★			★		★			N, Fl			
<i>Hebe gracillima</i>				★					★							
<i>Hebe salicifolia</i>	Koromiko	★		★			★	★	★					Fl		
<i>Hebe stenophylla</i>				★			★	★	★	★				Fl		
<i>Helichrysum lanceolatum</i>	Niniaio			★	★	★		★	★	★				Fl		
<i>Leucopogon fasciculatus</i>	Mingimingi			★	★				★				Fr			
<i>Melicope simplex</i>	Poataniwha			★		★			★		★		Fr			R
<i>Muehlenbeckia astonii</i>				★	★		★	★					Fr		2	R
<i>Olearia arborescens</i>				★		★			★		★					R
<i>Olearia avicenniifolia</i>				★	★		★	★		★				Fl		
<i>Pittosporum divaricatum</i>				★	★	★			★			★				R
<i>Pseudopanax ferox</i>	Fierce lancewood			★	★			★	★	★			Fr		7	R
<i>Schefflera digitata</i>	Pate			★		★			★		★		Fr			R
<i>Urtica ferox</i>	Tree nettle			★					★							L
SMALL SHRUBS etc																

WAIHOPAI ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
<i>Aristotelia fruticosa</i>				★	★			★		★		★	Fr			L
<i>Astelia fragrans</i>	Perching lily			★		★			★		★					
<i>Brachyglottis monroi</i>				★	★		★	★		★				Fl		
<i>Coprosma acerosa</i> var "brunnea"				★	★		★	★		★			Fr			
<i>Coprosma rhamnoides</i>				★	★			★	★	★			Fr			
<i>Coriaria sarmentosa</i>	Tutu		★	★				★					Fr			
<i>Corokia cotoneaster</i>	Korokio			★	★			★	★	★			Fr	Fl, Fr		
<i>Cortaderia richardii</i>	Toetoe		★	★			★	★						Fl		
<i>Gaultheria antipoda</i>				★	★		★	★		★		★	Fr			
<i>Hebe traversii</i>				★	★		★	★		★		★		Fl		
<i>Hebe venustula</i>				★	★		★	★		★		★		Fl		
<i>Heliohebe hulkeana</i> ssp <i>hulkeana</i>	New Zealand lilac			★	★		★	★		★				Fl		
<i>Melicytus "waipapa"</i>	Porcupine shrub			★	★		★	★		★			Fr			
<i>Muehlenbeckia complexa</i>	Pohuehue			★	★			★		★			Fr, Fr			
<i>Ozothamnus vauvilliersii</i>	Tauhinu	★		★	★		★	★		★				Fl		
<i>Pachystegia insignis</i>	Marlborough rock daisy			★	★		★	★		★				Fl		
<i>Phormium cookianum</i>	Wharariki	★		★	★		★	★		★			N	Fl, Fr		
<i>Phormium tenax</i>	Harakeke	★	★	★			★	★					N	Fl, Fr		
<i>Raukaua anomalus</i>				★		★			★		★		Fr			R
<i>Sophora prostrata</i>	Prostrate kowhai			★	★		★	★		★			N	Fl		L
<i>Teuclidium parvifolium</i>				★		★		★	★		★				4	

WAIHOPAI ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
GROUND PLANTS																
<i>Carex dipsacea</i>				★					★							
<i>Carex flagellifera</i>			★					★								
<i>Carex forsteri</i>				★					★							
<i>Carex testacea</i>								★	★							
<i>Dianella nigra</i>	Blueberry			★		★			★		★			Fl		L
<i>Fuchsia perscandens</i>	Climbing fuschia			★					★		★		Fr			R
<i>Libertia ixioides</i>	Native iris			★					★					Fl		
<i>Poa cita</i>	Silver tussock			★	★		★	★		★						
<i>Uncinia leptostachya</i>	Hookgrass			★	★				★							
<i>Uncinia uncinata</i>	Hookgrass								★							
VINES																
<i>Brachyglottis sciadophila</i>				★					★		★			Fl	4	R
<i>Clematis afoliata</i>	Leafless clematis			★	★			★		★				Fl		L
<i>Clematis foetida</i>	Clematis			★		★			★					Fl		
<i>Clematis forsteri</i>	Clematis			★		★		★	★					Fl		
<i>Clematis paniculata</i>	Puawhananga, bush clematis			★		★			★		★			Fl		R
<i>Parsonsia capsularis</i>	Native jasmine			★	★	★		★	★					Fl		
<i>Parsonsia heterophylla</i>	Native jasmine			★		★			★					Fl		
<i>Passiflora tetrandra</i>	Native passionfruit			★		★			★							R
<i>Rubus cissoides</i>	Bush lawyer			★					★				Fr	Fl		
<i>Rubus schmidelioides</i>	Bush lawyer			★	★			★	★				Fr	Fl		

WAIHOPAI ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	Threat Classification (if appropriate)	Localized or Rare in this Sector
Rubus squarrosus	Leafless lawyer			★	★			★	★				Fr	Fl		

- Fr Fruit National Threat Classification deLange et al 2009
- Fl Flowers 1 Nationally critical
- H Honeydew 2 Nationally endangered
- N Nectar 3 Nationally vulnerable
- Lv Leaves & shoots 4 Declining
- 5 Recovering
- 6 Relict
- 7 Naturally Uncommon
- 8 Data deficient

Italics = Not recorded but likely to have been present
Bold = Present

Plants people are most likely to recognise and obtain for revegetation (which are most likely to succeed in a drought prone sector)