


- Bird Bycatch 1998
- New Zealand EEZ
- New Zealand
- 1000, 3000, 5000 metre contours

FIGURE 1. Catch locations of seabirds killed during period 1 January 1998 to 30 September 1998, and returned for autopsy from New Zealand fisheries.



 New Zealand EEZ
 New Zealand
 1000, 3000, 5000 metre contours







 *Diomedea antipodensis*
 *Diomedea epomophora*
 *Diomedea gibsoni*
 *Macronectes halli*
 *Phoebetria palpebrata*

FIGURE 2. Catch locations during period 1 January 1998 to 30 September 1998, of *Diomedea*, *Macronectes* and *Phoebetria* returned for autopsy.











- | | |
|---|---|
|  New Zealand EEZ |  <i>Thalassarche bulleri</i> |
|  New Zealand |  <i>Thalassarche impavida</i> |
|  1000, 3000, 5000 metre contours |  <i>Thalassarche melanophrys</i> |
| |  <i>Thalassarche salvini</i> |
| |  <i>Thalassarche steadi</i> |




FIGURE 3. Catch locations during period 1 January 1998 to 30 September 1998, of *Thalassarche* returned for autopsy.



- | | |
|---|--|
|  New Zealand EEZ |  <i>Procellaria aequinoctialis steadi</i> |
|  New Zealand |  <i>Procellaria cinerea</i> |
|  1000, 3000, 5000 metre contours |  <i>Procellaria parkinsoni</i> |

FIGURE 4. Catch locations during period 1 January 1998 to 30 September 1998, of *Procellaria* petrels returned for autopsy.



 New Zealand EEZ
 New Zealand
 1000, 3000, 5000 metre contours






 *Daption c. capense*
 *Pachyptila desolata*
 *Pterodroma macroptera*
 *Puffinus carneipes hullianus*
 *Puffinus griseus*

FIGURE 5. Catch locations during period 1 January 1998 to 30 September 1998, of *Daption*, *Pachyptila*, *Pterodroma* and *Puffinus* returned for autopsy.